



# Euratainer®

## EURATAINER® Polyester

**G**ood hygiene is essential for all companies. That is why dead animals, offal, and food remains must be kept in a refrigerated storage space. After all, from a cost perspective, it doesn't make sense to have these waste materials carted off on a daily basis. Euratainer® offers you the ideal solution.

In warm and humid weather, a closed off storage space is not sufficient, as the temperature will rise to well above the ideal storage temperature of  $\pm 8^{\circ}\text{C}$ .

Temperature and relative humidity determine how quickly the stored waste materials will break down. With the Euratainer®, a constant flow of cold air ensures uniform cooling and removes moisture from the contents. The result is an optimum environment from the perspective of hygiene.

All Euratainer® cooling compartments work on the basis of (environmentally friendly) propane, are free of halogens, and are recommended by **GREENPEACE**.

## EURATAINER

1

Polyester



Removable front.

<b>Storage capacity</b>	mini container 240 litre or 1 mini container 120 litre		
<b>Internal dimensions</b>	Width 85 cm	Length 90 cm	Height 129 cm
<b>Material</b>	Polyester		
<b>Weight</b>	Circa 85 kg		
<b>Coolant</b>	R-290, propane, halogen free		
<b>Electrical connection</b>	220 V / 1 / 50 Hz (grounded socket 16 amp)		

## EURATAINER

2

„S“

Polyester



Removable front.

<b>Storage capacity</b>	2 mini containers 240 litre		
<b>Internal dimensions</b>	Width 147 cm	Length 90 cm	Height 129 cm
<b>Material</b>	Polyester		
<b>Weight</b>	Circa 110 kg		
<b>Coolant</b>	R-290, propane, halogen free		
<b>Electrical connection</b>	220 V / 1 / 50 Hz (grounded socket 16 amp)		

## EURATAINER

3

Polyester



<b>Storage capacity</b>	3 mini containers 240 litre		
<b>Internal dimensions</b>	Width 224 cm	Length 116 cm	Height 129 cm
<b>Material</b>	Polyester		
<b>Weight</b>	Circa 160 kg		
<b>Coolant</b>	R-290, propane, halogen free		
<b>Electrical connection</b>	220 V / 1 / 50 Hz (grounded socket 16 amp)		

## EURATAINER

4

LM Polyester

Removable front.




<b>Storage capacity</b>	4 mini containers 240 litre		
<b>Internal dimensions</b>	Width 147 cm	Length 156 cm	Height 129 cm
<b>Material</b>	Polyester		
<b>Weight</b>	Circa 240 kg		
<b>Coolant</b>	R-290, propane, halogen free		
<b>Electrical connection</b>	220 V / 1 / 50 Hz (grounded socket 16 amp)		

## EURATAINER

6

LM Polyester



<b>Storage capacity</b>	6 mini containers 240 litre		
<b>Internal dimensions</b>	Width 224 cm	Length 156 cm	Height 129 cm
<b>Material</b>	Polyester		
<b>Weight</b>	Circa 260 kg		
<b>Coolant</b>	R-290, propane, halogen free		
<b>Electrical connection</b>	220 V / 1 / 50 Hz (grounded socket 16 amp)		

### The advantages of Euratainer® polyester:

- ✓ Made of high-quality materials;
- ✓ Removable front makes it easy to wheel containers in and out;
- ✓ The cooling unit mounted on top ensures a constant flow of air within the cooled storage space;
- ✓ Constantly cooled air ensures uniform cooling as well as moisture removal from the waste materials;
- ✓ Constant storage temperature of  $\pm 8^{\circ}\text{C}$  at an ambient temperature of  $\pm 28^{\circ}\text{C}$ ;
- ✓ Ends problems related to bad smells, rodents etc.;
- ✓ Improves hygiene on your company premises;
- ✓ Is recommended by waste rendering companies;
- ✓ Complies with legislative guidelines (on destruction of animal and food wastes);
- ✓ Fully automated operation throughout the year;
- ✓ Free of halogens, recommended by **Greenpeace**;
- ✓ Received highest marks when evaluated on test farms.

## EURATAINER

4

HM

Polyester



<b>Storage capacity</b>	4 mini containers 240 litre or 1 container 1100 litre
<b>Internal dimensions</b>	Width 170 cm    Length 172 cm    Height 160 cm
<b>Material</b>	Polyester
<b>Weight</b>	Circa 260 kg
<b>Coolant</b>	R-290, propane, halogen free
<b>Electrical connection</b>	220 V / 1 / 50 Hz (grounded socket 16 amp)

## EURATAINER

6

HM

Polyester



<b>Storage capacity</b>	6 mini containers 240 litre or 1 container 1100 litre and 2 mini containers 240 litre
<b>Internal dimensions</b>	Width 235 cm    Length 172 cm    Height 160 cm
<b>Material</b>	Polyester
<b>Weight</b>	Circa 285 kg
<b>Coolant</b>	R-290, propane, halogen free
<b>Electrical connection</b>	220 V / 1 / 50 Hz (grounded socket 16 amp)

**COOLWORKS®**  
Quality Products